

Grades 7–12[†]

In ungraded classrooms, Grade 7 requirements apply to all students ≥12 years.

Tdap	1 dose ; and history of DTaP primary series or age-appropriate catch-up vaccination; Tdap given at ≥7 years may be counted, but a dose at age 11–12 is recommended if Tdap was given earlier as part of a catch-up schedule; Td or Tdap should be given if it has been ≥10 years since last Tdap
Polio	4 doses ; fourth dose must be given on or after the 4 th birthday and ≥6 months after the previous dose or a fifth dose is required; 3 doses are acceptable if the third dose is given on or after the 4 th birthday and ≥6 months after the previous dose
Hepatitis B	3 doses ; laboratory evidence of immunity acceptable; 2 doses of Heplisav-B given on or after 18 years of age are acceptable
MMR	2 doses ; first dose must be given on or after the 1 st birthday, and second dose must be given ≥28 days after first dose; laboratory evidence of immunity acceptable
Varicella	2 doses ; first dose must be given on or after the 1 st birthday and second dose must be given ≥28 days after first dose; a reliable history of chickenpox* or laboratory evidence of immunity acceptable
Meningococcal Grade 7–10	1 dose ; this dose must be given on or after the 10 th birthday. Meningococcal conjugate vaccine, MenACWY (formerly MCV4) and MenABCWY, fulfill this requirement; monovalent meningococcal B (MenB) vaccine is not required and does not meet this requirement
Meningococcal Grade 11–12 [‡]	2 doses ; second dose MenACWY (formerly MCV4) must be given on or after the 16 th birthday and ≥ 8 weeks after the previous dose; 1 dose is acceptable if it was given on or after the 16 th birthday. Meningococcal conjugate vaccine, MenACWY (MCV4) and MenABCWY, fulfill this requirement; monovalent meningococcal B (MenB) vaccine is not required and does not meet this requirement